

ANRESIS an update


u^b

b
UNIVERSITÄT
BERN

Andreas Kronenberg

Institute for Infectious Diseases, University Bern

anresis.ch



Symposium Antibiotic Resistance StAR, 22.11.2019

- Introduction
- Trends
 - MRSA
 - Quinolone resistant *E. coli*
 - ESCR
- Carbapenemase-producing Enterobacterales (CPE)
- Vancomycin-resistant Enterococci (VRE)
- Outlook


ANRESIS

Antibiotic Resistance

30 Human / 9 VET -Labs
135 Hospitals
400'000 Samples / year

Antibiotikaverbrauch


1000 Pharmacies
70 Hospitals



www.anresis.ch

infect.info

BAG-report



One health report



Publications



International reports





filter



Search Filters

Search filters




Filters for Antibiotics

Name


Please choose ...

Substance Class

- 1G Cephalosporin
- 2G Cephalosporin
- 3G Cephalosporin
- 4G Cephalosporin
- Aminoglycoside
- Antifolate
- Beta-lactam
- Beta-lactam + inhibitor
- Carbapenem
- Cephalosporin
- Epoxyde
- Fluoroquinolone
- Glycopeptide
- Lincosamide
- Lipopeptide
- Macrolide
- Monobactam
- Nitrofurantoin
- Nitrimidazole
- Oxazolidinone
- Penicillin
- Penicillins-




- www.infect.info
- Data last 365 days
- Monthly update
- Interactive matrix
- App (iOS / Android)



Trends 2004 - 2019




Multidrug Resistance in Switzerland (blood cultures only)





MRSA

u^b


^b
UNIVERSITÄT
BERN




MRSA



cMRSA trend Switzerland 2004 - 2014



cMRSA* trend (% von MRSA)




*susceptible to ≥ 3 out of ciprofloxacin, clindamycin, tetracycline TMP/SMX

Quinolon resistance in *E. coli* ("selection")


u^b

b
UNIVERSITÄT
BERN




Correlation resistance – antibiotic use I

Quinolone use and resistance in Europe (DDD/100beddays)




Carbapenem use and resistance in CH (DDD/100beddays)



Correlation r

in different departments

Harnwegsinfekt (HWI)



* significant correlation

Einleitung

Diagnose

Prävention/Prophylaxe

Zurückhaltender Antibiotika-Einsatz bei HWI

Empirische Therapie

Spezifische Therapie

Quelle / Info / Autoren

Harnwegsinfekt

Unkomplizierte Zystitis

Information


GÜLTIGKEIT

Gültig seit: 15.09.2019


AUTOREN

Sammlung: SGInf-Guidelines (D)

Organisation: SSI




no. of tests:




ESC-resistance in Switzerland

u^b

^b
UNIVERSITÄT
BERN




ESCR in *E. coli*: Switzerland (“one health”)



Stool samples

Cattle
Pig
Chicken
Sheep

13.7%



Food

Poultry (n=20)

Salad

Environment

36%

Water samples

Kronenborg et al. *Eurosurveillance* 2013

Geser N et al. *BMC Vet Res* 2012

Seiffert, Endimiani et al. *AAC* 2013

Rasheed, *Rev. Inst. Med. Trop. Sao Paulo*, 2014


Zurfluh, *Appl. and Environment Microbiology* 2013

ESCR in *E. coli*: world (“one world”)

u^b

^b
UNIVERSITÄT
BERN

ESCR in *E. coli* (world)



CDDEP THE CENTER FOR
Disease Dynamics,
Economics & Policy
WASHINGTON DC • NEW DELHI

ESCR in tourists

Europe	0-13%
Middle East	13-29%
Northern Africa	19-40%
Central / Southern Africa	22-30%
North America	0%
South America	0-7%
Asia (excluding India)	32-38%
India	15-88%

Tängden T et al. *Antimicrobial Agents and Chemotherapy* 2010;54:3564

Paltansing S et al. *Emerging Infectious Diseases* 2013; 19:1206

Östhholm-Balkhed A et al. *Journal of Antimicrobial Chemotherapy* 2012;68:2144


Rausch, *Travel Medicine and Infectious Diseases* 2013

Künzli E, *BMJ Infect Dis* 2014; 14:528

Increasing use of carbapenemens 2000-2010

u^b

b
UNIVERSITÄT
BERN



Standard units

Standard units

Boeckel, Lancet Infect Dis 2014 Aug;14(8):742-50


SARR 2018

Carbapenemases in Europe


KPC




OXA-48



NDM



VIM




- Countries not participating
- No case reported (Stage 0)
- Sporadic occurrence (Stage 1)
- Single hospital outbreak (Stage 2a)
- Sporadic hospital outbreaks (Stage 2b)
- Regional spread (Stage 3)
- Inter-regional spread (Stage 4)
- Endemic situation (Stage 5)

Albiger B et al. EuSCAPE working group. Euro Surveill.
2015;20(45)

Vancomycin resistance in Enterococci (VRE)



u^b

b
UNIVERSITÄT
BERN




Outbreak of vancomycin-resistant *Enterococcus faecium* clone ST796, Switzerland, December 2017 to April 2018


Nastasja Wassilew¹, Helena MB Seth-Smith^{2,3}, Eveline Rolli¹, Yvonne Fietze¹, Carlo Casanova⁴, Urs Führer⁵, Adrian Egli^{2,3}, Jonas Marschall¹, Niccolò Buetti¹




VRE bacteremia 2013 - 2018



Time trends bacteremia incidence
per 100'000 patientdays



Time trend proportion VRE
among *E. faecium* bacteremias




Burden of Disease EU / CH 2015

Gasser et. al. Lancet Infect Dis 2018

u^b

b
UNIVERSITÄT
BERN



~ESC-R

~Carbapenem-resistant
P. aeruginosa

MRSA

VRE

Penicillin-and macrolide-
resistant *S. pneumoniae*

Outlook

Guidelines in infect.info



Google Play

infect anresis

Suchen Android-

Apps

Meine Apps

Einkaufen

Spiele

Familie

Empfehlungen

Konto

Zahlungsmethoden

Meine Abos

Einlösen

INFECT by anresis
Joinbox GmbH

★★★★★

Outlook

Website



The screenshot shows the homepage of the ANRESIS website. At the top, there's a blue header bar with the ANRESIS logo and a search bar. Below it is a large teal banner with text about the availability of data to the public and researchers. The main content area has a light blue background. It features a circular icon with a stylized DNA helix and text about antibiotic resistance. Below this are two news sections with small images and text snippets. The footer contains a summary of user statistics (over 30 institutions, 9 universities, over 70 hospitals, and over 1000 pharmacists), logos of supporting organizations, and a footer bar with the ANRESIS logo and a link to the Swissmedic website.


- Modern design
- Adapted for handhelds
- Less text, more interactive
- Interactive DB query remains
- Information for lay persons

Outlook


C. difficile surveillance




Episodes (n) and incidence 2000 - 2017




Relapses (total 10%)



Incidence by department



Correlation antibiotic use and incidence



Outlook


ACD reporting



Yearly report


Total use by ATC-group in DDD/100beddays

- █ J01A - Tetracyclines
- █ J01B - Amphenicols
- █ J01C - Penicillins
- █ J01D - Other beta-lactam antibacterials
- █ J01E - Sulfonamides and trimethoprim
- █ J01F - Macrolides, lincosamides
- █ J01G - Aminoglycoside antibiotics
- █ J01M - Quinolone antibacterials
- █ J01X - Other antibacterials
- █ J04A, A07AA, P01AB



Benchmark report

Global use




Top ten list in DDD/100beddays (% of all)

Top ten overall

Rank	Antibiotic	2018	2017	% change last two years
1	Amoxicillin-clavulanic acid	26.8 (24.4%)	29.8 (25.0%)	-10.1
2	Cefuroxime	12.1 (11.0%)	13.5 (11.3%)	-10.5
3	Ceftriaxone	10.6 (9.6%)	11.5 (9.7%)	-8
4	Ciprofloxacin	8.6 (7.8%)	10.8 (9.1%)	-20.2
5	Metronidazole	6.0 (5.5%)	5.5 (4.6%)	7.6
6	Trimethoprim-sulfamethoxazole	5.6 (5.1%)	4.4 (3.7%)	26.5
7	Clarithromycin	4.3 (3.9%)	5.0 (4.2%)	-12.7
8	Piperacillin-tazobactam	4.1 (3.7%)	4.2 (3.5%)	-2.4
9	Flucloxacillin	3.8 (3.5%)	5.2 (4.4%)	-27.3
10	Cefazolin	3.3 (3.0%)	2.8 (2.4%)	19.3

Broadspectrum antibiotics (%)




Outlook


MDR reporting



MDR bacteremia in 5 university hospitals 2014 - 2018




MDR at all sites dependent from screening activities



Benchmarking MDR bacteremias / 10'000 beddays

ESCR Enterobacterales




Further reading

Usage of Antibiotics and Occurrence of Antibiotic Resistance in Bacteria from Humans and Animals in Switzerland

Swiss Antibiotic Resistance Report 2018

anresis.ch
ARCH-Vet



Federal Office of Public Health
Confédération suisse
Gesundheitsdepartement
Gesundheitsdepartement

Strategy on Antibiotic Resistance
StAR



Kontinuierliche Monitorisierung von Resistenzsituation und Antibiotikaverbrauch

Aktuelle Entwicklung der Antibiotikaresistenzen in der Schweiz

Dr. Michael Gasser^a, PhD; Prof. Dr. med. Jacques Schrenzel^{b,c}; PD Dr. med. Andreas Kronenberg^a für das Schweizerische Zentrum für Antibiotikaresistenzen^a

^a Institut für Infektionskrankheiten, Universität Bern, Bern; ^b Laboratoire de bactériologie, Hôpitaux Universitaires Genève, Genève; ^c Laboratoire de recherche génomique, Université de Genève, Genève

* Die Mitglieder des Steuerungsausschusses von anresis.ch sowie die mit anresis.ch verbundenen Laboratorien sind am Schluss des Artikels aufgeführt.

SMF, 2018;18(46):943-949

www.anresis.ch



Antibiotic resistance data

The number of laboratories sending data to anresis.ch varies over time. Therefore data may not be comparable between years.

Definition of selection Modify query
New query Footnotes


Results:

Selected Criteria:

Microorganism: *Citrobacter koseri*; Antibiotic: all; Time interval: 2018; Region: all; Age: all; In-/outpatient: all; Anatomic localization: all; Split by: in-/outpatient;

Drug, in-/outpatient	2018			
	Susceptible %	Intermediate %	Resistant %	n
Aminoglycoside				
hospitalized	99.4	0.0	0.6	2228
outpatient	99.9	0.1	0.0	1085
all	99.6	0.0	0.4	3313
Aminopenicillin				
hospitalized	0.0	0.0	99.9	2274
outpatient	0.1	0.0	99.9	1392

www.infect.info



Thanks for your attention and to ...

ANRESIS laboratories (www.anresis.ch)

ANRESIS hospital pharmacies (www.anresis.ch)



Financial support

Swiss Federal Office of Public Health (SFOPH)
Institute for Infectious Diseases, University Bern

ANRESIS - Team

Andreas Kronenberg / Michael Gasser

Catherine Plüss / Olivier Friedli

Chantal Studer, data manager

Stephan Gartenmann, IT support

Daniel Wartmann, IT support

Joinbox GmbH

Felix Steiner, Lina van der Weg, Pascal Frey,
u.a.

ANRESIS advisory board

A. Burnens, A. Cherkaoui, C. Corradi (BAG / StAR), O. Dubuis, A. Egli, V. Gaia, D. Koch (BAG), S. Leib, J. Marschall, P. Nordmann, V. Perreten, J.-C. Piffaretti, G. Prod'hom, J. Schrenzel, A. Widmer, G. Zanetti, R. Zbinden